

# **BALSAM PERU Material Safety Data Sheet, MSDS**

# Section 1: Identification of substance/mixture and of the company

Label Name: BALSAM PERU
 Other Names: BALSAM PERU

Company Name: NOBS HIDRODIFUSION SA DE CV

• Company Address: Avenida La Revolución, Edificio NOLJER Local 1-A, Colonia San Benito.

San Salvador, El Salvador,

Contact: Regulatory Department
 Email Address: info@nobsnaturals.com
 Company Telephone: Fax+503- 2243-6145

Emergency Telephone: Number 24 Hour Emergency

Centro De Information Toxicológica: +503- 2231-9262

#### **Section 2: Hazard identification**

# **EU Directive Classification** Xn,N

R/S Codes	R/S Phrases					
R22	Harmful if swallowed.					
R43	May cause sensitization by skin contact.					
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.					
S24	Avoid contact with skin					
S37	Wear suitable gloves.					
S61	Avoid release to the environment. Refer to special instructions/Safety data sheets					

#### GHS Hazard/Precautionary Phrases

H/P Codes	H/P Phrases	
Н303	May be harmful if swallowed	
H316	Causes mild skin irritation	
H317	May cause an allergic skin reaction	
H401	Toxic to aquatic life	
H411	Toxic to aquatic life with long lasting effects	



P261	Avoid breathing dust/fume/gas/mist/vapors/spray				
P272	Contaminated work clothing should not be allowed out of the workplace				
P273	Avoid release to the environment				
P280	Wear protective gloves/protective clothing/eye protection/face protection				
P302/352	IF ON SKIN: Wash with plenty of soap and water				
P312	Call a POISON CENTER or doctor/physician if you feel unwell				
P332/313	If skin irritation occurs: Get medical advice/attention				
P333/313	If skin irritation or rash occurs: Get medical advice/attention				
P363	Wash contaminated clothing before reuse				
P391	Collect spillage				
P501	Dispose of contents/container to (in accordance with local/regional/national/international regulation).				

# **Section 3: Composition / information on ingredient**

- CAS Number 8007-00-9
- FEMA Number 2117 EINECS Number 232- 352-8
- CAS Name BALSAMS,PERU

# **Section 4: Emergency First aid measures**

- Inhalation
  - Remove to fresh air, and call a physician
- Eye Contact
  - Remove contact lenses. Flush eyes with cool water for at least 15 minutes. If irritation persists then call a physician.
- Skin Contact
  - Remove contaminated clothing AND SHOES. Wash with mild soap and water.
- Ingestion
  - Rinse mouth. Consult a physician.



# **Section 5: Firefighting measures**

- Flash Point > 200 F
- **HMIS Classification**

HEALTH

**FLAMMABLITY** 

**PHYSCAL** 

0

PERSONAL PROTECTION

В

Fire fighting procedure / unusual fire and explosion hazard

**Extinguishing Media** 

Water Fog

Foam



1

**Dry Chemical** 



Carbon Dioxide



**Procedures** 

Fire fighters should wear positive pressure self-contained breathing apparatus. Spray extinguishing media directly at the base of the flames. Water is UNSUITABLE for use on burning materials, but may be used to cool containers exposed to heat

Hazardous combustion / decomposition products

When heated to decomposition, produces acrid fumes and smoke. Combustion may produce Carbon Monoxide and Carbon Dioxide.

- **Hazardous polymerization products**
- When heated to decomposition, produces acrid smoke and fumes

#### Section 6: Accidental release measures

- If Material Spilled or Released
- Remove all potential sources of ignition. Contain spill with inert non-combustible absorbent material, and place in approved containers.

# **Section 7: Handling ans storage**

Store in full sealed containers in cool dry place away from sources of ignition heat or direct sunlight. Follow good industrial and hygienic practices

#### **Section 8: Exposure controls/personal protection**

**Ventilation Protection** 

Local - Mechanical ventilation meeting ACGIH criteria.

**Respiratory Protection** 

No special protection; Odor mask or organic vapor respirator should be worn if vapors are found too Annoying/irritating. Dust mask for powders only.

**Eye Protection** 

Use chemical splash goggles or face shield.

**Skin Protection** 

Use Oil / Solvent resistant gloves.

Others

Eye wash station, safety shower and rubber apron.



#### Section 9: Physical and chemical properties

Specific Gravity 1.17 Vapor Density Data not found Vapor Pressure < 0.001 MM HG @20C

Melting Point Data not found Boiling Point Data not found Flash Point > 200 F

Solubility in Water DATA NOT FOUND

Odor and Appearance Dark brown viscous semi liquid having a sweet vanillic odor.

# Section 10: Stability and reactivity

Stability STABLE

Avoid sparks, flame and heat. Avoid contact with strong oxidizers & avoid hot work and sources of ignition on or near empty containers.

#### **Section 11: Toxicological information**

Oral Toxicity Not Available
Oral Toxicity Not Available
Oral Toxicity Not Available

# **Section 12: Ecological information**

Toxicity Not Available
Persistence and durability Not Available
Bioaccumulative potential Not Available
PBT and v PvB assessment Not Available

#### **Section 13: Disposal considerations**

Dispose of in accordance with state, local and federal regulations.

#### **Section 14: Transportation information**

Air Shipping (IATA)

UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZYL BENZOATE), Class 9, Packing, Group III

a late to diaporni po

**Ground Shipping (US DOT Non-Bulk)** 

NON-HAZARDOUS

Ocean Shipping (IMDG)

UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZYL BENZOATE),

Class 9, Packing Group III

Marine Pollutant BENZYL BENZOATE



# **Section 15: Regulatory information**

OCCUPATIONAL EXPOSURE LIMITS

Short Term Exposure Limit (STEL)

DATA NOT ESTABLISHED

OSHA Permissible Exposure Limit (PEL)

DATA NOT FOUND

Substance Listed as a Carcinogen NO

SARA 313 Subject to SARA reporting NO

# **Section 16: Other Information**

These safety guidelines are based on information obtained from reliable sources.

Prudent use and handlings part of good Manufacturing practices is advised. Employees must be trained to handle material safely and wear recommended P.P.E.

This new MSDS was created to conform with OSHA hazard communication standard 29 CFR 1910.1200. Please discard This MSDS was prepared by the Regulatory Department.